

Journals

Research - effects of Lycra® pressure garments on children with Cerebral Palsy

- Alegesan J.S. and Shetty, A. (2010) 'Effect of Modified Suit Therapy in Spastic Diplegic Cerebral Palsy - A Single Blinded Randomized Controlled Trial', *Online Journal of Health and Allied Sciences*, 9(4), pp. 1-3.
- Almeida, K., Fonseca, S., Figueiredo, P., Aquino, A. and Mancini, M. (2017) 'Effects of interventions with therapeutic suits (clothing) on impairments and functional limitations of children with cerebral palsy: a systematic review', *Brazilian Journal of Physical Therapy*, 21(5), pp. 307-320. doi: 10.1016/j.bjpt.2017.06.009.
- Attard, J. and Rithalia, S. (2004) 'Review of the Use of Lycra Pressure Orthoses for children with Cerebral Palsy - including two case studies', *International Journal of Therapy and Rehabilitation*, 11(3), pp. 120-126. doi: 10.12968/ijtr.2004.11.3.13384.
- Bahramizadeh, M., Rassafiani, M., Aminian, G., Rashedi, V., Farmani, F. and Mirbagheri, S. (2015) 'Effect of Dynamic Elastomeric Fabric Orthoses on Postural Control in Children With Cerebral Palsy', *Pediatric Physical Therapy*, 27(4), pp. 349-354. doi: 10.1097/PEP.0000000000000171.
- Bjornso, K.F., Schmale, G.A., Adamczyk-Foster, A. and McLaughlin, J. (2006) 'The effect of dynamic ankle foot orthoses on function in children with cerebral palsy', *Journal of Pediatric Orthopaedics*, 26(6), pp. 773-776. doi: 10.1097/01.bpo.0000242377.10596.0f.
- Blair, E., Ballantyne, J., Horsman, S. and Chauvel, P. (1995) 'A study of a dynamic proximal stability splint in the management of children with cerebral palsy', *Developmental medicine and children neurology*, 37, pp. 544-554. doi: 10.1111/j.1469-8749.1995.tb12041.x.
- Coghill, J. and Simkiss, D. (2010) 'Question 1 Do Lycra garments improve function and movement in children with cerebral palsy?', *Archives of Disease in Childhood*, 95(5), pp. 393-395. doi: 10.1136/adc.2009.178624.
- Edmonson, J., Fisher, K. and Hanson, C. (1999) 'How effective are Lycra® suits in the management of children with cerebral palsy', *Association of Chartered Paediatric Physiotherapist*, 90, pp. 49-57.
- Edwards, K. and Cramp, M. (2004) 'Using motion analysis to investigate whether wearing dynamic Lycra garments changes posture and movement in children with cerebral palsy-a pilot study', *University of East London*.
- Elliott, C., Reid, S., Alderson, J. and Elliott, B. (2011) 'Lycra arm splints in conjunction with goal-directed training can improve movement in children with cerebral palsy', *NeuroRehabilitation*, 28(1), pp. 47-54. doi: 10.3233/NRE-2011-0631.
- Elliott, C., Reid, S., Hamer, P., Alderson, J. and Elliott, B (2011) 'Lycra® arm splints improve movement fluency in children with cerebral palsy', *Gait & Posture*, 33(2), pp. 214-219. doi: 10.1016/j.gaitpost.2010.11.008.
- Flanagan, A., Krzak, J., Peer, M., Johnson, P. and Urban, M. (2009) 'Evaluation of short-term intensive orthotic garment use in children who have cerebral palsy', *Pediatric Physical Therapy*, 21(2), pp. 201-204. doi: 10.1097/PEP.0b013e3181a347ab.
- Giray,E.,Karadag-Saygi,E.,Ozsoy,T.,Gungor,S.andKayhan,O.(2018)'Theeffectsofvesttypedynamicelastomericfabric orthosis on sitting balance and gross manual dexterity in children with cerebral palsy: a single-blinded randomised controlled study', *Disability and Rehabilitation*, 42(3), pp. 410-418. doi: 10.1080/09638288.2018.1501098.
- Giray E., Keniş-Coşkun, Ö., Güngö, S., Karadağ-Sayıgı, E., (2017) 'Does stabilizing input pressure orthosis vest, lycra-based compression orthosis, improve trunk posture and prevent hip lateralization in children with cerebral palsy?', *Turkish Journal of Physical Medicine and Rehabilitation*, 64(2), pp. 100-107. doi: 10.5606/tftrd.2018.1332.

- Halkett, C. and McMahon, M. (2008-2010) 'There is insufficient evidence to support the use of Lycra® splints for functional benefits for children with cerebral palsy', *Otago Polytechnic*.
- Hylton, N. and Schoos, K. (2003). Deep Pressure Sensory Input: SPIO flexible compression bracing. *NDTA Network Orthotics*.
- Karadağ-Sayı, E. (2019) 'The clinical aspects and effectiveness of suit therapies for cerebral palsy: A systematic review', *Turkish Journal of Physical Medicine and Rehabilitation*, 65(1), pp. 93-110. doi: 10.5606/tfrd.2019.3431.
- Knox, V. (2003) 'The Use of Lycra Garments in Children with Cerebral Palsy: A Report of a Descriptive Clinical Trial', *British Journal of Occupational Therapy*, 66(2), pp. 71-77. doi: 10.1177/030802260306600205.
- Ly, K. and Patel, (2015) 'Commentary on Effect of Dynamic Elastomeric Fabric Orthoses on Postural Control in Children With Cerebral Palsy', *Pediatric Physical Therapy*, 27(4), pp. 355. doi: 10.1097/PEP.00000000000000171.
- Martins, E., Cordovil, R., Oliveira, R., Letra, S., Lourenço, S., Pereira, I., Ferr, A., Lopes, I., Silva, C.R. and Marques, M. (2016) 'Efficacy of suit therapy on functioning in children and adolescents with cerebral palsy: a systematic review and meta-analysis', *Developmental medicine and children neurology*, 58(4), pp. 348-360. doi: 10.1111/dmcn.12988.
- Martins, E., Cordovil, R., Oliveira, R., Pinho, J., Diniz1, A. and Vaz, J.R. (2019) 'The Immediate Effects of a Dynamic Orthosis on Gait Patterns in Children With Unilateral Spastic Cerebral Palsy: A Kinematic Analysis', *Frontiers in Pediatrics*, 7, pp. 42. doi: 10.3389/fped.2019.00042.
- Matthews, M., Watson, M. and Richardso, B. (2009) 'Effects of Dynamic Elastomeric Fabric Orthoses on Children with Cerebral Palsy', *Prosthetics and Orthotics International*, 33(4), pp. 339-347. doi: 10.3109/03093640903150287.
- Morris, G., Phillips, J., Scott, S., Woodward, S. (2017) 'The effect of a Lycra compression garment on upper limb muscle activity during a functional task: a student project', *Physiotherapy Journal*, 103(1), pp. 129. doi: 10.1016/j.physio.2017.11.130.
- Nicholson, J., Morton, R., Attfield, S. and Rennie, D. (2007) 'Assessment of upper-limb function and movement in children with cerebral palsy wearing Lycra garments', *Developmental Medicine & Child Neurology*, 43(6), pp. 384-391. doi: 10.1017/s001216220100072x.
- Romeo, D.M., Specchia, A., Sini, F., Bompard, S., Di Polito, A., Del Vecchio, A., Ferrara, P., Bernabei, R. and Mercuri, E. (2018) 'Effects of Lycra suits in children with cerebral palsy', *European Journal of Paediatric Neurology*, 22(5), pp. 831-836. doi: 10.1016/j.ejpn.2018.04.014.
- Shaari, I., Abu Osman, N. and Shasmin, H. (2018) 'Interface Pressure of Lycra Orthosis at Different Postures in Children with Cerebral Palsy (CP)', *Sains Malaysiana*, 47(4), pp. 763-771. doi: 10.17576/jsm-2018-4704-15.
- Yasukawa, A., Martin, P., Guilford, A. and Mukherjee, S. (2011) 'Case Study: Use of the Dynamic Movement Orthosis to Provide Compressive Shoulder Support for Children With Brachial Plexus Palsy', *JPO Journal of Prosthetics and Orthotics*, 23(3), pp. 159-164. doi: 10.1097/JPO.0b013e3182261bc7.

Research - effects of Lycra® pressure garments on children with Scoliosis

- Matthews, M. and Bridges, S. (2012) 'Does the use of dynamic elastomeric fabric scoliosis suits provide an improved and more user friendly option for early intervention in childhood scoliosis?', *Scoliosis*, 7(S1).
- Matthews, M. (2013) 'Does rigid bracing provide the best outcome for children with neurological onset scoliosis?', *Scoliosis*, 8(S1), doi: 10.1186/1748-7161-8-S1-P9.
- Matthews, M., Blandford S., Marsden, J. and Freeman, J. (2016) 'The use of dynamic elastomeric fabric orthosis suits as an orthotic intervention in the management of children with neuropathic onset scoliosis: A retrospective audit of routine clinical case notes', *Scoliosis Spinal Disord*, 11(14), pp. 1-10. doi: 10.1186/s13013-016-0073-z.

- Matthews, M. and Crawford, R. (2006) 'The Use of Dynamic Lycra Orthosis in the Treatment of Scoliosis', *Prosthetics & Orthotics International*, 30(2), pp. 174-181. doi: 10.1080/03093640600794668.
- Matthews, M. and Wynne, J. (2021) 'The Use of a Dynamic Elastomeric Fabric Orthotic Intervention in Adolescents and Adults with Scoliosis', *Spinal Deformities in Adolescents, Adults and Older Adults*, doi: 10.5772/intechopen.9639

Research - effects of Lycra® pressure garments on people who have had a Stroke

- Kumar, P. (2019) 'The Effects of Lycra Arm Sleeve on Glenohumeral Subluxation in Poststroke Hemiplegia - A Preliminary Study', *JPO Journal of Prosthetics and Orthotics*, 31(1), pp. 70-75. doi: 10.1097/JPO.0000000000000226
- Kumar, P. (2021) 'Does the application of a Lycra® arm sleeve change shoulder biomechanics in people with stroke? - A preliminary study', *Journal of Prosthetics and Orthotics*, December 29, 2021 - Volume - Issue - doi: 10.1097/JPO.000000000000408.
- Kumar, P., Desai, A. and Elliot, L. (2020) 'Does the application of a Lycra arm sleeve change shoulder biomechanics in young healthy people? - A Mechanistic study', *Journal of Prosthetics and Orthotics*, 32(1), pp. 32-37. doi: 10.1097/JPO.0000000000000265.
- Kumar, P., Jones, R., Easton, C. and Turton, A. (2018). Is a Lycra sleeve and acceptable treatment for glenohumeral subluxation in people with stroke: Patients, clinicals and family members perspectives. University of West England & University Hospital Bristol NHS, Poster Presentation.
- Kumar, P., Leake, J., Brodie, S., Molton, J., O'Reilly, R., Pearce, A., Steele, J. and Caleb-Solly, P. (2021) 'Accelerometers-embedded Lycra sleeves to test wear compliance and upper limb activity in people with stroke: A feasibility study', *Journal of Prosthetics and Orthotics*, December 21, 2021 - Volume - Issue - doi: 10.1097/JPO.000000000000406.
- Morris, G., Phillips, J., Scott, S., Woodward, S. (2017) 'The effect of a Lycra compression garment on upper limb muscle activity during a functional task: a student project', *Physiotherapy Journal*, 103(1), pp. 129. doi: 10.1016/j.physio.2017.11.130.
- Naubereit, C. (2017) 'The effectiveness of Lycra Compression Garments on the upper limb in patients with stroke', *WITS University*.
- Tyson, S. and Kent, R. (2009), 'Orthotic devices after stroke and other nonprogressive brain lesions', *The Cochrane Collaboration, John Wiley & Sons, Ltd*. doi: 10.1002/14651858.CD003694.pub2.
- Watson, M., Crosby, P. and Matthews, M. (2007) 'An evaluation of the effects of a dynamic Lycra orthosis on arm function in a late stage patient with acquired brain injury', *Brain Injury*, 21(7), pp. 753-761. doi: 10.1080/02699050701481613.
- Watson, M., Mares, K., McArthur, M., Worth, P. and Brown, S. (2007-2009). An investigation of the effects of Dynamic Lycra Orthoses (DLOs) in the management of movement control in problems caused by cerebellar ataxia. *Ataxia UK*.

Research - effects of Lycra® pressure garments on people with Multiple Sclerosis

- Betts, L. (2006) 'Lycra orthoses and their use in MS', *Way Ahead*, 10(4), pp. 4-5.
- Betts, L. (2015) 'Dynamic movement lycra orthosis in multiple sclerosis', *British Journal of Neuroscience Nursing*, 11(2) doi: 10.12968/bjnn.2015.11.2.60.
- Miller, L., van Wijck, F., Lamont, L., Preston, J. and Hair, M. (2016) 'Sensory dynamic orthoses in mild to moderate upper limb tremor in multiple sclerosis: a mixed methods feasibility stud', *Clinical Rehabilitation*, 30 (11), pp. 1060-1073. doi: 10.1177/026921551605356.

Research - effects of Lycra® pressure garments on people with Upper Limb Spasticity

- Gracies, J., Fitzpatrick, R., Wilson, L., Burke, D. and Gandevia, S. (1997) 'Lycra garments designed for patients with upper limb spasticity: Mechanical effects in normal subjects', *Archives of Physical Medicine and Rehabilitation*, 78(10), pp. 1066-1071. doi: 10.1016/s0003-9993(97)90129-5.
- Gracies, J., Marosszky, J., Renton, R., Sandanam, J., Gandevia, S. and Burke, D. (2000) 'Short-term effects of dynamic Lycra splints on upper limb in hemiplegic patients', *Archives of Physical Medicine and Rehabilitation*, 81(12), pp. 1547-1555. doi: 10.1053/apmr.2000.16346.
- Morris, G., Phillips, J., Scott, S., Woodward, S. (2017) 'The effect of a Lycra compression garment on upper limb muscle activity during a functional task: a student project', *Physiotherapy Journal*, 103(1), pp. 129. doi: 10.1016/j.physio.2017.11.130.

Research - effects of Lycra® pressure garments on people with Neuro Motor Defects

- Hylton, N. and Allen, C. (1997) 'The development and use of SPIO Lycra compression bracing in children with neuromotor deficits', *Pediatric Rehabilitation*, 1(2), pp. 109-116. doi: 10.3109/17518429709025853.

Research - effects of Lycra® pressure garments on people with Autism

- Guinchat, V., Vlaminck, E., Diaz, L., Chambon, C., Pouzenc, J., Cravero, C., Baeza-Velasco, C., Hamonet, C., Xavier, J. and Cohen, D. (2020) 'Compressive Garments in Individuals with Autism and Severe Proprioceptive Dysfunction: A Retrospective Exploratory Case Series', *Children*, 7(7), pp. 77. doi: 10.3390/children7070077.

Research - effects of Lycra® pressure garments on:

Shoulder Subluxation

- Matthews M., MPhil, Payne, C. and Watson, M. (2011) 'The use of a Dynamic Elastomeric Fabric Orthosis to Manage Painful Shoulder Subluxation: a Case Study', *Journal of Prosthetics & Orthotics*, 23(3), pp. 155-8. doi: 10.1097/JPO.0b013e318224ae82.

Gait, Posture and Balance

- Finlayson, J., Crockett, J., Shanmugam, S. and Stansfield, B. (2018) 'Lycra splinting garments for adults with intellectual disabilities who fall due to gait or balance issues: a feasibility study', *Journal of Intellectual Disability Research*, 62(5), pp. 391-406. doi: 10.1111/jir.12477.
- Michael, J.S., Dogramac, S.N., Steel, K.A. and Graham, K.S. (2014) 'What is the effect of compression garments on a balance task in female athletes?', *Gait Posture*, 39(2), pp. 804-809. doi: 10.1016/j.gaitpost.2013.11.001.
- Rennie, D., Attfield, S., Morton, R., Polak, F. and Nicholson, J. (2000) 'An evaluation of Lycra garments in the lower limb using 3-D gait analysis and functional assessment (PEDI)', *Gait & Posture*, 12(1), pp. 1-6. doi: 10.1016/S0966-6362(00)00066-7.

Proprioception

- McNair, P., Stanley, S. and Strauss, G. (1996) 'Knee bracing: Effects on proprioception', *Archives of Physical Medicine and Rehabilitation*, 77, pp. 287-289. doi: 10.1016/s0003-9993(96)90114-8.
- Morris, G., Phillips, J., Scott, S., Woodward, S. (2017) 'The effect of a Lycra compression garment on upper limb muscle activity during a functional task: a student project', *Physiotherapy Journal*, 103(1), pp. 129. doi: 10.1016/j.physio.2017.11.130.

Hypertonia

- McPherson, J., Becker, A. and Fransczak, N. (1985) 'Dynamic splint to reduce the passive component of hypertonicity', *Archives of Physical Medicine and Rehabilitation*, 66(4), pp. 249-252. doi: 10.1016/0003-9993(85)90162-5.

Developmental Coordination Disorder

- Rathinam, C.B., Selin, B., Spokes, G. and Green, D. (2013) 'Effects of Lycra body suit orthosis on a child with developmental coordination disorder: A case study', *Journal of Prosthetics & Orthotics*, 25(1), pp. 58-61. doi: 10.1097/JPO.0b013e31827b5946.

Enhancing Functional Motor Skills

- Y Morris, G., Phillips, J., Scott, S., Woodward, S. (2017) 'The effect of a Lycra compression garment on upper limb muscle activity during a functional task: a student project', *Physiotherapy Journal*, 103(1), pp. 129. doi: 10.1016/j.physio.2017.11.130.
- Yasukawa, A., Patel, P. and Sisung, C. (2006) 'Pilot Study: Investigating the Effects of Kinesio Taping in an Acute Pediatric Rehabilitation Setting', *American Journal of Occupational Therapy*, 60(1), pp. 104-110. doi: 10.5014/ajot.60.1.104.

Trunk Instability, Pelvic Pain / Injury

- Cameron, L.B. Marsden, J., Watkins, K. and Freeman, J. (2018) 'Management of Antenatal Pelvic Girdle Pain Study (MAPS): A Double Blinded, Randomised Trial Evaluating the Effectiveness of Two Pelvic Orthoses', *International Journal of Women's Health Care*, 3(20), pp. 1-9. doi: 10.33140/ijwhc.03.02.09.
- Cholewick, J., Krupal, R., Shah, M., Kevin, C. and McGill, M. (2006) 'The effects of a 3-week use of lumbosacral orthoses on proprioception in the lumbar spine', *Journal of Orthopaedic and Sports Physical Therapy*, 36(4), pp. 225-231. doi: 10.2519/jospt.2006.36.4.225.
- McNair, P. and Heine, P. (1999) 'Trunk proprioception: enhancement through lumbar bracing', *Archives of Physical Medicine and Rehabilitation*, 80, pp. 96-99. doi: 10.1016/S0003-9993(99)90314-3.
- Sawle, L., Marsden, J., Freeman, J. and Mathews, M. (2010) 'Developing a dynamic elastomeric fabric orthosis to aid return to sport after lumbopelvic injury', *British Journal of Sports Medicine*, 44(14). doi: 10.1136/bjsm.2010.078972.5.
- Sawle, L., Freeman, J., Marsden, J. and Matthews, M. (2013) 'Exploring the effect of pelvic belt configurations upon athletic lumbopelvic pain', *Prosthetics and orthotics international*, 37(2), pp. 124-31. doi: 10.1177/0309364612448806.

Research - effects of Lycra® pressure garments on people with Rheumatoid Arthritis and Hand Osteoarthritis

- Hammond, A. and Prior, Y. (2022) 'Arthritis glove provision in rheumatoid arthritis and hand osteoarthritis: A survey of United Kingdom rheumatology occupational therapists', *Hand Therapy*, 27(1), pp. 3-13. doi: 10.1177/17589983211060620.
- Nasir, S.H., Troynikov, O. and Massy-Westropp, N. (2014) 'Therapy gloves for patients with rheumatoid arthritis: a review' *Therapeutic Advances in Musculoskeletal Disease*, 6(6), pp. 226-237. doi: 10.1177/1759720X14557474

Research - effects of Lycra® pressure garments on people with Joint Flexion Contractures - Hand

- Kennedy, S., Peck, F. and Stone, J. (2000) 'The Treatment of Interphalangeal Joint Flexion Contractures with Reinforced Lycra Finger Sleeve', *The British Journal of Hand Therapy*, 5(2), pp. 46-48. doi: 10.1177/17589983000050020.

- Rand, D.T. and Nicol, A.C. (1993) 'An instrumented glove for monitoring MCP joint motion', *Proc Inst Mech Eng H*, 207(4), pp. 207-210. doi: 10.1243/PIME_PROC_1993_207_298_02.

Journals / Articles / Projects

- Snowdon, N., Sier, D., Potia, T., Wheat, J. and McLean, S. (2018) 'Compression garments and fabric orthoses for rehabilitation and function: a systematic mapping review', *International Journal of Therapy and Rehabilitation*, 25(12), pp. 655-664. doi: 10.12968/ijtr.2018.25.12.655.
- Steinhagen, CH. (2010). SKINS pioneers research into dynamic compression pressure measurement.

Government Publications

- Health Improvement Scotland (2013). What is the clinical and cost effectiveness of dynamic elastomeric fabric orthoses (DEFOs) for cerebral palsy.
- NHS Quality Improvement Scotland (2005). Dynamic Lycra splinting for children with cerebral palsy.